



<b>General:</b>	Assembled by A&I Manufacturing, Inc. <b>Environmentally safe.</b>
<b>Fabric:</b>	Translucent or Room Darkening spun lace, non woven fabric. 100% Polyester
<b>Top Head Rail:</b>	1 1/2" high x 1 3/4" deep extruded aluminum with PVC end caps. Depth with installation bracket is 2".
<b>Mid Head Rail:</b>	3/4" high x 1 5/8" deep extruded aluminum with PVC end caps.
<b>Bottom Rail:</b>	1/2" high x 1 5/8" deep extruded aluminum with PVC end caps.
<b>Cord Lock:</b>	Cord lock shall be secured to the head rail channel. Lock body shall be constructed of clear polycarbonate,. Floating gear and pins locks shall e made of brass. Cord lock to be of crash-proof design.
<b>Cord Cleat:</b>	Cleat is made of clear 100% PVC.
<b>Lift Cord:</b>	Shall be braided polyester and of sufficient length to control the raising and lowering of the shade. Outside diameter is 0.9mm.
<b>Pull Cord:</b>	Shall braided polyester and of sufficient length to control raising and lowering of shade. Outside diameter is 1.8mm.
<b>Tassel:</b>	100% PVC. Shall comply with all safety requirements.
<b>Stop Ball:</b>	100% PVC. Shall comply with all safety requirements.
<b>Installation Brackets:</b>	Constructed of cold rolled steel. Zinc plated. Intermediate brackets spaced no wider than 36" apart.
<b>Sizes:</b>	Outside mounted window coverings will be made to exact ordered measurements. Inside mounted horizontal shades will have 1/2" deducted at the factory from width. <i>See Product Limits.</i>

### Product Limits

Controls (Manual)	Min. Width	Max. Width	Min. Drop	Max. Drop
Standard	12"	72"	5"	*72"

Maximum Sq. Footage \*36 Sq. Ft. Under Warranty

\* Exceptions Available Upon Request

 <b>WARNING</b>	 <b>ADVERTENCIA</b>
<p> Cords on window covering products present a potential strangulation hazard.</p> <p> For child safety, consider cordless alternatives or products with inaccessible cords.</p> <p><small>SAFLAB-3 04/2013 ANSII/WCMA 5.1.4</small></p>	<p> Las cuerdas y cadenas y persianas presentan un peligro de estrangulación.</p> <p> Para la seguridad de los niños, considere alternativas sin cuerdas o productos con cuerdas y cadenas inaccesibles.</p> <p><small>SAFLAB-3 04/2013 ANSII/WCMA 5.1.4</small></p>

